




FYRA

CHA - 001, CHA - 002

CUT SHEET



SALES@NORSKAUSA.COM

719-338-7146

8440 CESSNA DR #101. PEYTON. CO 80831.




FYRA

CHA - 001, CHA - 002


PRODUCT DESCRIPTION

Swedish for “four,” embodies Scandinavian elegance. Standing at 45mm tall and 40mm wide, Fyra boasts simplicity and sleek design. Crafted from a single solid piece of hand-selected sustainable timber, its small profile ensures subtlety and allows its natural wood grain to shine. Fyra’s understated sophistication redefines through organic beauty and minimalism.

CUP MOUNTING HARDWARE DIAGRAM



DIMENSIONAL DRAWING



PRODUCT OPTIONS

WOOD TYPE

- White Oak
- Cherry
- Ash
- Walnut
- Hard Maple

LENGTH

- 800mm (31.5")
- 1800mm (71")
- 1000mm (39.4")
- 2000mm (78.7")
- 1200mm (47.2")
- 2200mm (86.6")
- 1500mm (59")
- 2400mm (94.5")

SUSPENSION LENGTH

We provide standard lengths that your installer cuts-down to a final size on-site during installation

MOUNTING STYLE

- Canopy
- Cups

WOOD FINISH

- Nörska natural beeswax
- Bleached
- Stained-Blackened
- Flame-Blackened

HARDWARE FINISH

- Powder Coat White
- Brushed Stainless Steel
- Polished Natural Brass
- Black Anodized Aluminum

CORD FINISH

- Black Cotton SVT
- White Cotton SVT

END STYLE

SQUARE, CHA - 001

OVAL, CHA - 002

ELECTRICAL

COLOR TEMPERATURE

- 2700K
- 3000K

WATTAGE

16 W/m (4.88 W/ft)

LUMEN OUTPUT

1320 lm/m (402 lm/ft)

VOLTAGE

100VAC - 277VAC

DIMMING

TRIAC Phase-Cut
Optional: Bluetooth, Wi-Fi

CRI

95

CERTIFICATION






FYRA

CHA - 001, CHA - 002

PRODUCT DESCRIPTION

Swedish for “four,” embodies Scandinavian elegance. Standing at 45mm tall and 40mm wide, Fyra boasts simplicity and sleek design. Crafted from a single solid piece of hand-selected sustainable timber, its small profile ensures subtlety and allows its natural wood grain to shine. Fyra’s understated sophistication redefines through organic beauty and minimalism.

CANOPY MOUNTING HARDWARE DIAGRAM



DIMENSIONAL DRAWING



PRODUCT OPTIONS

WOOD TYPE

- White Oak
- Cherry
- Ash
- Walnut
- Hard Maple

LENGTH

- 800mm (31.5")
- 1000mm (39.4")
- 1200mm (47.2")
- 1500mm (59")
- 1800mm (71")
- 2000mm (78.7")
- 2200mm (86.6")
- 2400mm (94.5")

SUSPENSION LENGTH

We provide standard lengths that your installer cuts-down to a final size on-site during installation

MOUNTING STYLE

- Canopy
- Cups

WOOD FINISH

- Nörska natural beeswax
- Bleached
- Stained-Blackened
- Flame-Blackened

HARDWARE FINISH

- Powder Coat White
- Brushed Stainless Steel
- Polished Natural Brass
- Black Anodized Aluminum

CORD FINISH

- Black Cotton SVT
- White Cotton SVT

END STYLE

SQUARE, CHA - 001

OVAL, CHA - 002

ELECTRICAL

COLOR TEMPERATURE

- 2700K
- 3000K

LUMEN OUTPUT

1320 lm/m (402 lm/ft)

DIMMING

TRIAC Phase-Cut
Optional: Bluetooth, Wi-Fi

WATTAGE

16 W/m (4.88 W/ft)

VOLTAGE

100VAC - 277VAC

CRI

95

CERTIFICATION

