



AURA 10-3

WAC - 002

CUT SHEET

Revision number : #2
Revision date : 15 May 2026





AURA 10-3

WAC - 002

Description

Aura 10-3 pairs a 10" carved solid-wood shade with a softly diffused 3" globe, creating a compact atmospheric glow that reveals texture, grain, and depth.

Product Specifications

Wood Finishes

Available in All Standard Wood Finishes

Metal Finishes

Available in All Standard Metal Finishes

Glass Finishes

Available in All Standard Glass Finishes

Textures

Available in All Standard Textures


Mounting Location

- Wall
- Ceiling

Material Disclaimer

Due to the natural characteristics of solid hardwood, grain and tone variation will occur. Each fixture is unique.

Mounting Hardware Diagram




Mounting : Universal



AURA 10-3

WAC - 002

Dimensional Drawing





AURA 10-3

WAC - 002

Electrical

Lamping G8 Bi-Pin Base, Type T Lamp	Bulb Included (120V USA) Emery Allen 4.5W G8 Bulb	Lumen Output 450 Lumens
Lamp Quantity 1	Bulb Included (240V EU) Emery Allen 4.5W G8 240V Bulb	Color Temperature 2700K, 3000K
Dimming Dimmable with most incandescent and LED dimmers		

Electrical Notes

Fixture to be installed by a qualified electrician in accordance with local electrical code.

Performance Table

Size	Max Wattage	Delivered Lumens	Weight
10" (25.4cm)	6W	450-600 Lumen (Bulb Dependent)	1.16KG / 2.56LB

Compliance & Certifications

Dry / Damp Locations, cULus Certified, ADA Compliant





Ordering Information

SKU Structure

WAC - 002 - 254 - DDD - EEE - FFF - GGG - HHH - III

Options per Category

TEXTURE - DDD

- Naguri Mark NGM
- Naguri Line NGL
- Dune DUN
- Dotta DOT

WOOD FINISH - EEE

- Bleached Ash BAS
- Bleached White Oak BWO
- Maple MAP
- Ash ASH
- White Oak WHO
- Cherry CHE
- Walnut WAL
- Flame Blackened White Oak FBW
- Blackened Ash BLA

METAL FINISH - FFF

- Black Anodized Aluminum BLK
- Architectural White WHT
- Brushed Stainless Steel BSS
- Natural Brass BRA

INPUT VOLTAGE - HHH

- 120VAC 120
- 240VAC 240

GLASS FINISH - GGG

- Opal Glass OPL
- Clear Glass CLR
- Frosted Glass FRO
- Matte Glass MAT
- Smoked Glass SMK

COLOR TEMPERATURE - III

- 2700K 27K
- 3000K 30K

Example SKU

WAC - 002 - 254 - NGM - BWO - BSS - OPL - 120 - 27K

Configurator

Define fixture options and generate a complete specification SKU at NorskaUSA.com/configurator.

Custom Requests

For custom dimensions, finishes, mounting conditions, or project-specific requirements, contact Nörska Sales.