



LUTA

LAM - 002

CUT SHEET

Revision number : #2
Revision date : 15 May 2026

NorskaUSA.com

Sales@NorskaUSA.com

719-338-7146

Handmade in the USA





Description

Swedish for “lean,” Luta is a floor lamp designed to rest against the wall, casting directional light along the surface behind it. Its linear solid-hardwood body creates a quiet architectural gesture, bringing indirect illumination, material warmth, and restrained presence to living spaces, hospitality settings, and transitional areas.

Product Specifications

Wood Finishes

Available in All Standard
Wood Finishes


Lengths

- 47.2” (1200mm)
- 53.2” (1350mm)
- 59” (1500mm)

Material Disclaimer

Due to the natural characteristics of solid hardwood, grain and tone variation will occur. Each fixture is unique.

Dimensional Drawing





Electrical

Input Voltage	CCT Options	Delivered Lumens
100VAC - 277VAC	2700K, 3000K, Custom	402Lm/ft (1320Lm/M)
Wattage	CRI	Dimming
4.88W/ft (16W/m)	95	Rheostat

Performance Table

Length	Wattage	Delivered Lumens	Weight
47.2" (120cm)	19.2W	1584LM	3.7LB / 1.7KG
53.2" (135cm)	21.6W	1782LM	4.2LB / 1.9KG
59" (150cm)	24W	1980LM	4.6LB / 2.1KG





Ordering Information

SKU Structure

L A M - 0 0 2 - C C C - D D D - N M F - N G F - G G G - H H H

Options per Catagory

LENGTH - CCC

• 47.2"	120
• 53.2"	135
• 59"	150

WOOD FINISH - DDD

• Bleached Ash	BAS
• Bleached White Oak	BWO
• Maple	MAP
• Ash	ASH
• White Oak	WHO
• Cherry	CHE
• Walnut	WAL
• Flame Blackened White Oak	FBW
• Blackened Ash	BLA

METAL FINISH - EEE

No Metal available	NMF
--------------------	-----

GLASS FINISH - FFF

No Glass available	NGF
--------------------	-----

INPUT VOLTAGE - GGG

• 120VAC	120
• 240VAC	240
• 277VAC	277

COLOR TEMPERATURE - HHH

• 2700K	27K
• 3000K	30K
• Custom	CUS

Example SKU

L A M - 0 0 2 - 1 2 0 - BWO - NMF - NGF - 120 - 27K

Configurator

Define fixture options and generate a complete specification SKU at NorskaUSA.com/configurator.

Custom Requests

For custom dimensions, finishes, mounting conditions, or project-specific requirements, contact Nörska Sales.